



The Commonwealth of Massachusetts
 Executive Office of Health and Human Services
 Department of Public Health
 Bureau of Environmental Health
 Community Sanitation Program

5 Randolph Street
 Canton, MA 02021

Telephone: 781 828-8046

Facsimile: 781 828-7703

Nicholas.Gale@state.ma.us

DEVAL L. PATRICK
 GOVERNOR

JOHN W. POLANOWICZ
 SECRETARY

CHERYL BARTLETT, RN
 COMMISSIONER

November 12, 2014

Thomas M. Hodgson, Sheriff
 Bristol County Sheriff's Office
 Dartmouth I.C.E. Facility
 400 Faunce Corner Road
 North Dartmouth, MA 02747

Re: Facility Inspection - Dartmouth I.C.E. Facility, North Dartmouth

Dear Sheriff Hodgson:

In accordance with M.G.L. c. 111, §§ 5, 20, and 21, as well as Massachusetts Department of Public Health (Department) Regulations 105 CMR 451.000: Minimum Health and Sanitation Standards and Inspection Procedures for Correctional Facilities; 105 CMR 480.000: Storage and Disposal of Infectious or Physically Dangerous Medical or Biological Waste (State Sanitary Code, Chapter VIII); 105 CMR 590.000: Minimum Sanitation Standards for Food Establishments (State Sanitary Code Chapter X); the 1999 Food Code; and 105 CMR 205.000 Minimum Standards Governing Medical Records and the Conduct of Physical Examinations in Correctional Facilities; I conducted an inspection of the Bristol County Sheriff's Office Dartmouth I.C.E. Facility on October 30, 2014 accompanied by Lieutenant Andrew Mitzan, EHSO. Violations noted during the inspection are listed below including 1 repeat violation:

HEALTH AND SAFETY VIOLATIONS

(* indicates conditions documented on previous inspection reports)

Visitor's Entrance

Bathroom (Right)
 105 CMR 451.123 Maintenance: No soap at handwash sink

Bathroom (Left)
 105 CMR 451.123 Maintenance: No soap at handwash sink

Common Area

Lobby
 No Violations Noted

Control
 FC 4-602.12(B) Cleaning of Equipment and Utensils; Frequency: Interior of microwave oven dirty

Garage Bathroom
 No Violations Noted

Units

Unit A

Nurse's Office

105 CMR 451.110(A)

Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink

Nurse's Bathroom

No Violations Noted

Sleeping Area

105 CMR 451.322

Cell Size: Inadequate floor space in dorm room

105 CMR 451.353

Interior Maintenance: Light shield missing

105 CMR 451.344

Illumination in Habitable Areas: Light not functioning properly, light out

Bathroom

No Violations Noted

Showers

No Violations Noted

Laundry

No Violations Noted

Classroom

No Violations Noted

Medical Room

No Violations Noted

Janitor's Closet

105 CMR 451.353

Interior Maintenance: Wet mop stored in bucket

B Unit

Sleeping Area

105 CMR 451.322

Cell Size: Inadequate floor space in dorm room

Bathroom

No Violations Noted

Shower

No Violations Noted

Laundry

No Violations Noted

Medical Room

105 CMR 451.110(A)

Hygiene Supplies at Toilet and Handwash Sink: No paper towels at handwash sink in medical bathroom

Janitor's Closet

105 CMR 451.353

Interior Maintenance: Wet mop stored in bucket

Observations and Recommendations

1. The inmate population was 95 at the time of inspection.
2. During the inspection, the Department recommended that all showers and cells be identified with a numbering system. This will assist the Department and correctional employees to better recognize where issues exist.

This facility does not comply with the Department's Regulations cited above. In accordance with 105 CMR 451.404, please submit a plan of correction within 10 working days of receipt of this notice, indicating the specific corrective steps to be taken, a timetable for such steps, and the date by which correction will be achieved. The plan should be signed by the Superintendent or Administrator and submitted to my attention, at the address listed above.

To review the specific regulatory requirements please visit our website at www.mass.gov/dph/dcs and click on "Correctional Facilities" (available in both PDF and RTF formats).

To review the Food Establishment regulations please visit the Food Protection website at www.mass.gov/dph/fpp and click on "Food Protection Regulations". Then under "Retail" click "105 CMR 590.000 - State Sanitary Code Chapter X - Minimum Sanitation Standards for Food Establishments" and "1999 Food Code".

This inspection report is signed and certified under the pains and penalties of perjury.

Sincerely,



Nicholas Gale
Environmental Health Inspector, CSP, BEH

cc: Suzanne K. Condon, Associate Commissioner, Director, BEH
Steven Hughes, Director, CSP, BEH
John W. Polanowicz, Secretary, Executive Office of Health and Human Services
Carol Higgins O'Brien, Commissioner, DOC
Steven Sousa, Superintendent
Lieutenant Andrew Mitzan, EHSO
Wendy Henderson, RS, Health Director, Dartmouth Board of Health
Clerk, Massachusetts House of Representatives
Clerk, Massachusetts Senate
Andrea Cabral, Secretary, EOPS