

Appendix IV- Reported Asthma Prevalence By Community 2006-2007

Community	Prev	CI - Lo**	CI - Up***	Comparison with Statewide Prevalence
ABINGTON	9.4	8.03	10.77	Statistically Significantly Lower
ACTON*	8.8	7.85	9.75	Statistically Significantly Lower
ACUSHNET	6.63	5.20	8.06	Statistically Significantly Lower
ADAMS	11.58	9.52	13.64	Not Statistically Significantly Different
AGAWAM	8.67	7.68	9.66	Statistically Significantly Lower
ALFORD	13.04	-0.72	26.81	Not Statistically Significantly Different
AMESBURY	7.63	6.40	8.86	Statistically Significantly Lower
AMHERST*	12.31	10.86	13.77	Not Statistically Significantly Different
ANDOVER	11.75	10.77	12.72	Not Statistically Significantly Different
ARLINGTON	7.42	6.59	8.25	Statistically Significantly Lower
ASHBURNHAM	10.78	8.60	12.96	Not Statistically Significantly Different
ASHBY	5.87	3.64	8.10	Statistically Significantly Lower
ASHFIELD	13.4	8.61	18.20	Not Statistically Significantly Different
ASHLAND	6.76	5.67	7.86	Statistically Significantly Lower
ATHOL	15.34	13.48	17.21	Statistically Significantly Higher
ATTLEBORO	12.33	11.38	13.27	Statistically Significantly Higher
AUBURN	10.79	9.34	12.25	Not Statistically Significantly Different
AVON	9.36	6.63	12.09	Not Statistically Significantly Different
AYER	12.77	10.37	15.17	Not Statistically Significantly Different
BARNSTABLE	6.22	5.51	6.94	Statistically Significantly Lower
BARRE	7.99	5.94	10.03	Statistically Significantly Lower
BECKET	7.61	3.78	11.44	Not Statistically Significantly Different
BEDFORD	10.27	8.76	11.78	Not Statistically Significantly Different
BELCHERTOWN	8.58	7.33	9.83	Statistically Significantly Lower
BELLINGHAM	7.94	6.72	9.17	Statistically Significantly Lower
BELMONT	8.09	6.79	9.39	Statistically Significantly Lower
BERKLEY	5.97	4.48	7.46	Statistically Significantly Lower
BERLIN*	7.42	4.50	10.34	Statistically Significantly Lower
BERNARDSTON	8.92	5.09	12.75	Not Statistically Significantly Different
BEVERLY	9.8	8.84	10.76	Statistically Significantly Lower
BILLERICA	8.7	7.90	9.50	Statistically Significantly Lower
BLACKSTONE	9.8	7.99	11.60	Not Statistically Significantly Different
BLANDFORD	8.7	3.99	13.40	Not Statistically Significantly Different
BOLTON	7.05	5.27	8.83	Statistically Significantly Lower
BOSTON	14.14	13.83	14.45	Statistically Significantly Higher
BOURNE	10.06	8.72	11.40	Not Statistically Significantly Different
BOXBOROUGH*	5.45	3.85	7.06	Statistically Significantly Lower
BOXFORD*	7.52	6.10	8.95	Statistically Significantly Lower
BOYLSTON	3.66	0.79	6.53	Statistically Significantly Lower
BRAINTREE	12.58	11.54	13.62	Statistically Significantly Higher
BREWSTER*	9.2	7.22	11.19	Not Statistically Significantly Different
BRIDGEWATER	10.05	8.97	11.13	Not Statistically Significantly Different
BRIMFIELD	15.8	12.33	19.27	Statistically Significantly Higher
BROCKTON	15.07	14.42	15.72	Statistically Significantly Higher
BROOKFIELD	13.03	9.52	16.54	Not Statistically Significantly Different
BROOKLINE	10.98	10.05	11.91	Not Statistically Significantly Different
BUCKLAND	5.17	1.88	8.46	Statistically Significantly Lower
BURLINGTON	8.42	7.37	9.48	Statistically Significantly Lower
CAMBRIDGE	10.81	9.95	11.68	Not Statistically Significantly Different
CANTON	13.13	11.80	14.46	Statistically Significantly Higher

*Community participates in a regional school system

**CI-Lo indicates the lower 95% confidence interval

***CI-Up indicates the higher 95% confidence interval

Appendix IV- Reported Asthma Prevalence By Community 2006-2007

Community	Prev	CI - Lo**	CI - Up***	Comparison with Statewide Prevalence
CARLISLE*	5.79	4.20	7.38	Statistically Significantly Lower
CARVER	12.44	10.75	14.13	Not Statistically Significantly Different
CHARLEMONT	15.23	9.50	20.96	Not Statistically Significantly Different
CHARLTON	10.89	9.44	12.34	Not Statistically Significantly Different
CHATHAM	12.63	9.35	15.90	Not Statistically Significantly Different
CHELMSFORD	10.55	9.61	11.49	Not Statistically Significantly Different
CHELSEA	9.41	8.49	10.32	Statistically Significantly Lower
CHESHIRE	8.04	5.02	11.06	Not Statistically Significantly Different
CHESTER	10.83	5.97	15.69	Not Statistically Significantly Different
CHESTERFIELD	10.48	5.09	15.88	Not Statistically Significantly Different
CHICOPEE	10.3	9.51	11.09	Not Statistically Significantly Different
CHILMARK	8.82	2.08	15.57	Not Statistically Significantly Different
CLARKSBURG	9.81	5.83	13.80	Not Statistically Significantly Different
CLINTON	8.7	7.23	10.17	Statistically Significantly Lower
COHASSET	7.05	5.58	8.52	Statistically Significantly Lower
COLRAIN	15.79	10.32	21.25	Not Statistically Significantly Different
CONCORD	11.53	10.16	12.90	Not Statistically Significantly Different
CONWAY*	6.08	2.60	9.56	Statistically Significantly Lower
CUMMINGTON	8.86	2.59	15.13	Not Statistically Significantly Different
DALTON	8.64	6.77	10.51	Statistically Significantly Lower
DANVERS	7.44	6.46	8.43	Statistically Significantly Lower
DARTMOUTH	12.85	11.69	14.01	Statistically Significantly Higher
DEDHAM	12.08	10.78	13.37	Not Statistically Significantly Different
DEERFIELD	8.52	6.14	10.90	Not Statistically Significantly Different
DENNIS	9.07	7.35	10.80	Statistically Significantly Lower
DIGHTON	11.99	9.92	14.05	Not Statistically Significantly Different
DOUGLAS	9.81	8.14	11.48	Not Statistically Significantly Different
DOVER	8.59	6.88	10.30	Statistically Significantly Lower
DRACUT	10.38	9.38	11.39	Not Statistically Significantly Different
DUDLEY	11.17	9.48	12.85	Not Statistically Significantly Different
DUNSTABLE	8.3	5.93	10.68	Statistically Significantly Lower
DUXBURY	9.22	8.07	10.37	Statistically Significantly Lower
EAST BRIDGEWATER	6.91	5.74	8.08	Statistically Significantly Lower
EAST BROOKFIELD	6.69	3.62	9.77	Statistically Significantly Lower
EAST LONGMEADOW	12.28	10.82	13.74	Not Statistically Significantly Different
EASTHAM	13.85	10.29	17.41	Not Statistically Significantly Different
EASTHAMPTON	14.25	11.83	16.67	Statistically Significantly Higher
EASTON	9.33	8.26	10.41	Statistically Significantly Lower
EDGARTOWN*	13.08	9.63	16.53	Not Statistically Significantly Different
EGREMONT	16.84	9.32	24.37	Not Statistically Significantly Different
ERVING*	17.71	12.31	23.11	Statistically Significantly Higher
ESSEX	5.93	3.63	8.23	Statistically Significantly Lower
EVERETT	9.55	8.62	10.48	Statistically Significantly Lower
FAIRHAVEN	11.41	9.83	12.99	Not Statistically Significantly Different
FALL RIVER	13.62	12.92	14.31	Statistically Significantly Higher
FALMOUTH	11.83	10.63	13.04	Not Statistically Significantly Different
FITCHBURG	13.21	12.25	14.18	Statistically Significantly Higher
FLORIDA	5.56	0.82	10.29	Statistically Significantly Lower
FOXBOROUGH	14.53	13.03	16.03	Statistically Significantly Higher
FRAMINGHAM	10.31	9.56	11.06	Not Statistically Significantly Different

*Community participates in a regional school system

**CI-Lo indicates the lower 95% confidence interval

***CI-Up indicates the higher 95% confidence interval

Appendix IV- Reported Asthma Prevalence By Community 2006-2007

Community	Prev	CI - Lo**	CI - Up***	Comparison with Statewide Prevalence
FRANKLIN	9.94	9.09	10.78	Statistically Significantly Lower
FREETOWN*	9.05	7.28	10.81	Not Statistically Significantly Different
GARDNER	15.24	13.72	16.76	Statistically Significantly Higher
AQUINNAH	6.25	-2.14	14.64	Not Statistically Significantly Different
GEORGETOWN	6.97	5.52	8.42	Statistically Significantly Lower
GILL	10	5.20	14.80	Not Statistically Significantly Different
GLOUCESTER	11.28	10.11	12.46	Not Statistically Significantly Different
GOSHEN	12.36	5.52	19.20	Not Statistically Significantly Different
GRAFTON	10.04	8.79	11.29	Not Statistically Significantly Different
GRANBY	14.42	11.91	16.92	Statistically Significantly Higher
GRANVILLE	8.22	4.58	11.86	Not Statistically Significantly Different
GREAT BARRINGTON	8.61	6.03	11.19	Not Statistically Significantly Different
GREENFIELD	14.48	12.74	16.21	Statistically Significantly Higher
GROTON	8.62	7.33	9.91	Statistically Significantly Lower
GROVELAND	6.06	4.48	7.65	Statistically Significantly Lower
HADLEY	9.66	6.70	12.62	Not Statistically Significantly Different
HALIFAX*	4.4	3.10	5.70	Statistically Significantly Lower
HAMILTON	7.37	5.83	8.90	Statistically Significantly Lower
HAMPDEN	9.15	6.90	11.39	Not Statistically Significantly Different
HANCOCK	5.36	-0.54	11.25	Not Statistically Significantly Different
HANOVER	8.84	7.63	10.06	Statistically Significantly Lower
HANSON	9.82	8.26	11.38	Not Statistically Significantly Different
HARDWICK	6.15	3.47	8.83	Statistically Significantly Lower
HARVARD	10.93	8.88	12.97	Not Statistically Significantly Different
HARWICH	6.78	5.26	8.30	Statistically Significantly Lower
HATFIELD	6.56	3.85	9.28	Statistically Significantly Lower
HAVERHILL	13.73	12.89	14.58	Statistically Significantly Higher
HAWLEY	0	0.00	0.00	Statistically Significantly Lower
HEATH	15	5.96	24.04	Not Statistically Significantly Different
HINGHAM	10.2	9.04	11.35	Not Statistically Significantly Different
HINSDALE	9.82	5.92	13.72	Not Statistically Significantly Different
HOLBROOK	11.15	9.35	12.95	Not Statistically Significantly Different
HOLDEN	6.88	5.85	7.91	Statistically Significantly Lower
HOLLAND*	12.71	8.89	16.54	Not Statistically Significantly Different
HOLLISTON	10.52	9.17	11.87	Not Statistically Significantly Different
HOLYOKE	17.9	16.74	19.07	Statistically Significantly Higher
HOPEDALE	7.26	5.51	9.02	Statistically Significantly Lower
HOPKINTON	8.03	6.98	9.08	Statistically Significantly Lower
HUBBARDSTON	10.6	8.29	12.92	Not Statistically Significantly Different
HUDSON	11.05	9.70	12.40	Not Statistically Significantly Different
HULL	13.35	11.18	15.52	Statistically Significantly Higher
HUNTINGTON	11.97	7.81	16.12	Not Statistically Significantly Different
IPSWICH	4.68	3.37	5.98	Statistically Significantly Lower
KINGSTON	9.27	7.86	10.67	Statistically Significantly Lower
LAKEVILLE*	6.87	5.54	8.19	Statistically Significantly Lower
LANCASTER	10.93	8.76	13.10	Not Statistically Significantly Different
LANESBOROUGH*	10.74	7.38	14.10	Not Statistically Significantly Different
LAWRENCE	16.71	15.99	17.42	Statistically Significantly Higher
LEE	5.98	4.06	7.90	Statistically Significantly Lower
LEICESTER	8.67	7.14	10.20	Statistically Significantly Lower

*Community participates in a regional school system

**CI-Lo indicates the lower 95% confidence interval

***CI-Up indicates the higher 95% confidence interval

Appendix IV- Reported Asthma Prevalence By Community 2006-2007

Community	Prev	CI - Lo**	CI - Up***	Comparison with Statewide Prevalence
LENOX	15.32	12.11	18.53	Statistically Significantly Higher
LEOMINSTER	8.53	7.73	9.33	Statistically Significantly Lower
LEVERETT*	5.39	1.96	8.81	Statistically Significantly Lower
LEXINGTON	8.09	7.27	8.90	Statistically Significantly Lower
LEYDEN	8.45	1.98	14.92	Not Statistically Significantly Different
LINCOLN*	3.06	2.10	4.02	Statistically Significantly Lower
LITTLETON	7.05	5.63	8.47	Statistically Significantly Lower
LONGMEADOW	7.38	6.28	8.48	Statistically Significantly Lower
LOWELL	12.93	12.33	13.53	Statistically Significantly Higher
LUDLOW	11.94	10.56	13.33	Not Statistically Significantly Different
LUNENBURG	8.25	6.74	9.76	Statistically Significantly Lower
LYNN	10.08	9.49	10.66	Statistically Significantly Lower
LYNNFIELD	6.37	5.20	7.54	Statistically Significantly Lower
MALDEN	12.17	11.25	13.10	Statistically Significantly Higher
MANCHESTER	10	7.70	12.50	Not Statistically Significantly Different
MANSFIELD	12.98	11.90	14.07	Statistically Significantly Higher
MARBLEHEAD	6.23	5.27	7.19	Statistically Significantly Lower
MARION*	9.06	6.80	11.32	Not Statistically Significantly Different
MARLBOROUGH	11.78	10.76	12.80	Not Statistically Significantly Different
MARSHFIELD	7.62	6.73	8.50	Statistically Significantly Lower
MASHPEE	9.51	7.95	11.06	Not Statistically Significantly Different
MATTAPOISETT	7.74	5.74	9.74	Statistically Significantly Lower
MAYNARD	9.92	8.06	11.78	Not Statistically Significantly Different
MEDFIELD	10.93	9.64	12.22	Not Statistically Significantly Different
MEDFORD	8.42	7.60	9.25	Statistically Significantly Lower
MEDWAY	9.3	8.06	10.55	Statistically Significantly Lower
MELROSE	16.23	14.77	17.69	Statistically Significantly Higher
MENDON	10.62	8.65	12.58	Not Statistically Significantly Different
MERRIMAC	9.08	7.24	10.92	Not Statistically Significantly Different
METHUEN	6.33	5.69	6.96	Statistically Significantly Lower
MIDDLEBOROUGH	13.86	12.58	15.15	Statistically Significantly Higher
MIDDLEFIELD	15.69	5.71	25.67	Not Statistically Significantly Different
MIDDLETON*	8.4	6.75	10.05	Statistically Significantly Lower
MILFORD	10.14	9.07	11.21	Not Statistically Significantly Different
MILLBURY	12.27	10.55	13.99	Not Statistically Significantly Different
MILLIS	8	5.83	10.17	Statistically Significantly Lower
MILLVILLE	9.42	6.71	12.13	Not Statistically Significantly Different
MILTON	11.28	10.19	12.37	Not Statistically Significantly Different
MONROE	10	-8.59	28.59	Not Statistically Significantly Different
MONSON	20.02	17.66	22.38	Statistically Significantly Higher
MONTAGUE	13.13	10.62	15.65	Not Statistically Significantly Different
MONTEREY	12.33	4.79	19.87	Not Statistically Significantly Different
MONTGOMERY	10.94	3.29	18.58	Not Statistically Significantly Different
MOUNT WASHINGTON	16.67	-4.42	37.75	Not Statistically Significantly Different
NAHANT	9.12	5.90	12.34	Not Statistically Significantly Different
NANTUCKET	8.52	6.78	10.26	Statistically Significantly Lower
NATICK	10.39	9.40	11.37	Not Statistically Significantly Different
NEEDHAM	10.81	9.86	11.76	Not Statistically Significantly Different
NEW ASHFORD	0	0.00	0.00	Statistically Significantly Lower
NEW BEDFORD	15.06	14.39	15.73	Statistically Significantly Higher

*Community participates in a regional school system

**CI-Lo indicates the lower 95% confidence interval

***CI-Up indicates the higher 95% confidence interval

Appendix IV- Reported Asthma Prevalence By Community 2006-2007

Community	Prev	CI - Lo**	CI - Up***	Comparison with Statewide Prevalence
NEW BRAINTREE	9.52	3.91	15.14	Not Statistically Significantly Different
NEW MARLBOROUGH	8.89	4.09	13.69	Not Statistically Significantly Different
NEW SALEM	13.16	6.95	19.36	Not Statistically Significantly Different
NEWBURY	5.58	4.01	7.15	Statistically Significantly Lower
NEWBURYPORT	7.44	6.23	8.66	Statistically Significantly Lower
NEWTON	9.47	8.86	10.07	Statistically Significantly Lower
NORFOLK*	9.54	8.02	11.05	Not Statistically Significantly Different
NORTH ADAMS	12.23	10.46	14.00	Not Statistically Significantly Different
NORTH ANDOVER	10.36	9.40	11.33	Not Statistically Significantly Different
NORTH ATTLEBOROUGH	13.45	12.37	14.54	Statistically Significantly Higher
NORTH BROOKFIELD	6.17	4.19	8.15	Statistically Significantly Lower
NORTH READING	10.61	9.28	11.95	Not Statistically Significantly Different
NORTHAMPTON	13.6	12.19	15.00	Statistically Significantly Higher
NORTHBOROUGH*	9.65	8.36	10.94	Not Statistically Significantly Different
NORTHBRIDGE	9.71	8.43	11.00	Not Statistically Significantly Different
NORTHFIELD	5.52	3.17	7.88	Statistically Significantly Lower
NORTON	9.18	8.05	10.32	Statistically Significantly Lower
NORWELL	8.92	7.55	10.28	Statistically Significantly Lower
NORWOOD	7.38	6.39	8.37	Statistically Significantly Lower
OAK BLUFFS*	8.71	6.09	11.32	Not Statistically Significantly Different
OAKHAM	10.44	6.64	14.24	Not Statistically Significantly Different
ORANGE	14.92	12.60	17.24	Statistically Significantly Higher
ORLEANS	9.94	6.62	13.26	Not Statistically Significantly Different
OTIS	13.08	6.69	19.47	Not Statistically Significantly Different
OXFORD	6.5	5.33	7.67	Statistically Significantly Lower
PALMER	15.99	14.08	17.91	Statistically Significantly Higher
PAXTON	3.58	2.00	5.17	Statistically Significantly Lower
PEABODY	9.71	8.90	10.53	Statistically Significantly Lower
PELHAM*	13.43	7.66	19.21	Not Statistically Significantly Different
PEMBROKE	8.74	7.62	9.85	Statistically Significantly Lower
PEPPERELL	11.87	10.30	13.45	Not Statistically Significantly Different
PERU	11.88	5.57	18.19	Not Statistically Significantly Different
PETERSHAM*	8.23	3.94	12.51	Not Statistically Significantly Different
PHILLIPSTON	8.62	5.01	12.23	Not Statistically Significantly Different
PITTSFIELD	10.43	9.56	11.30	Not Statistically Significantly Different
PLAINFIELD	10.17	2.46	17.88	Not Statistically Significantly Different
PLAINVILLE*	16.01	13.79	18.24	Statistically Significantly Higher
PLYMOUTH	9.89	9.15	10.62	Statistically Significantly Lower
PLYMPTON*	9.65	6.52	12.78	Not Statistically Significantly Different
PRINCETON	4.55	2.70	6.41	Statistically Significantly Lower
PROVINCETOWN	13.21	6.76	19.65	Not Statistically Significantly Different
QUINCY	9.88	9.14	10.62	Statistically Significantly Lower
RANDOLPH	12.95	11.76	14.13	Statistically Significantly Higher
RAYNHAM	4.91	3.90	5.92	Statistically Significantly Lower
READING	6.45	5.59	7.31	Statistically Significantly Lower
REHOBOTH	7.06	5.71	8.42	Statistically Significantly Lower
REVERE	8.21	7.40	9.02	Statistically Significantly Lower
RICHMOND	8.7	3.99	13.40	Not Statistically Significantly Different
ROCHESTER*	5.25	3.67	6.83	Statistically Significantly Lower

*Community participates in a regional school system

**CI-Lo indicates the lower 95% confidence interval

***CI-Up indicates the higher 95% confidence interval

Appendix IV- Reported Asthma Prevalence By Community 2006-2007

Community	Prev	CI - Lo**	CI - Up***	Comparison with Statewide Prevalence
ROCKLAND	8.56	7.37	9.75	Statistically Significantly Lower
ROCKPORT	7.74	5.72	9.76	Statistically Significantly Lower
ROWE	23.81	10.93	36.69	Not Statistically Significantly Different
ROWLEY	7.61	5.73	9.49	Statistically Significantly Lower
ROYALSTON	8.97	4.49	13.46	Not Statistically Significantly Different
RUSSELL	8.95	4.89	13.01	Not Statistically Significantly Different
RUTLAND	7.01	5.59	8.44	Statistically Significantly Lower
SALEM	11.81	10.71	12.91	Not Statistically Significantly Different
SALISBURY	4.12	2.78	5.45	Statistically Significantly Lower
SANDSFIELD	3.75	-0.41	7.91	Statistically Significantly Lower
SANDWICH	8.75	7.69	9.81	Statistically Significantly Lower
SAUGUS	10.22	9.06	11.39	Not Statistically Significantly Different
SAVOY	9.78	3.71	15.85	Not Statistically Significantly Different
SCITUATE	9.68	8.46	10.90	Not Statistically Significantly Different
SEEKONK	10.55	9.00	12.09	Not Statistically Significantly Different
SHARON	8.44	7.36	9.51	Statistically Significantly Lower
SHEFFIELD	14.71	11.09	18.34	Statistically Significantly Higher
SHELBURNE	21.62	14.99	28.25	Statistically Significantly Higher
SHERBORN	10.11	7.93	12.29	Not Statistically Significantly Different
SHIRLEY	9.59	7.39	11.79	Not Statistically Significantly Different
SHREWSBURY	9.6	8.76	10.43	Statistically Significantly Lower
SHUTESBURY*	6.06	2.74	9.38	Statistically Significantly Lower
SOMERSET	12.44	10.92	13.97	Not Statistically Significantly Different
SOMERVILLE	7.78	6.78	8.78	Statistically Significantly Lower
SOUTH HADLEY	10.39	8.88	11.91	Not Statistically Significantly Different
SOUTHAMPTON*	14.77	12.04	17.50	Statistically Significantly Higher
SOUTHBOROUGH	7.48	6.21	8.75	Statistically Significantly Lower
SOUTHBRIDGE	14.62	13.00	16.25	Statistically Significantly Higher
SOUTHWICK	10.74	9.01	12.47	Not Statistically Significantly Different
SPENCER	7.64	6.18	9.09	Statistically Significantly Lower
SPRINGFIELD	16.43	15.94	16.92	Statistically Significantly Higher
STERLING	8.63	6.89	10.38	Statistically Significantly Lower
STOCKBRIDGE	19.27	11.86	26.67	Statistically Significantly Higher
STONEHAM	8.9	7.75	10.06	Statistically Significantly Lower
STOUGHTON	11.36	10.18	12.53	Not Statistically Significantly Different
STOW	12.41	10.28	14.53	Not Statistically Significantly Different
STURBRIDGE*	6.9	5.40	8.39	Statistically Significantly Lower
SUDBURY	9.6	8.57	10.63	Statistically Significantly Lower
SUNDERLAND*	4.12	1.74	6.50	Statistically Significantly Lower
SUTTON	10.52	8.88	12.16	Not Statistically Significantly Different
SWAMPSCOTT	9.59	8.14	11.03	Not Statistically Significantly Different
SWANSEA	13.51	11.84	15.17	Statistically Significantly Higher
TAUNTON	10.98	10.21	11.74	Not Statistically Significantly Different
TEMPLETON	10.71	8.84	12.58	Not Statistically Significantly Different
TEWKSBURY	7.72	6.86	8.59	Statistically Significantly Lower
TOLLAND	12.77	3.23	22.31	Not Statistically Significantly Different
TOPSFIELD*	8.15	6.40	9.89	Statistically Significantly Lower
TOWNSEND	10.34	8.65	12.04	Not Statistically Significantly Different
TRURO	4.13	0.59	7.68	Statistically Significantly Lower
TYNGSBOROUGH	13.46	11.83	15.10	Statistically Significantly Higher

*Community participates in a regional school system

**CI-Lo indicates the lower 95% confidence interval

***CI-Up indicates the higher 95% confidence interval

Appendix IV- Reported Asthma Prevalence By Community 2006-2007

Community	Prev	CI - Lo**	CI - Up***	Comparison with Statewide Prevalence
TYRINGHAM	8	-2.63	18.63	Not Statistically Significantly Different
UPTON	8.7	7.06	10.34	Statistically Significantly Lower
UXBRIDGE	9.66	8.26	11.07	Not Statistically Significantly Different
WAKEFIELD	12.33	11.09	13.57	Statistically Significantly Higher
WALES*	12.56	8.13	16.99	Not Statistically Significantly Different
WALPOLE	9.67	8.64	10.70	Statistically Significantly Lower
WALTHAM	8.81	7.90	9.72	Statistically Significantly Lower
WARE	10.26	8.42	12.10	Not Statistically Significantly Different
WAREHAM	10.05	8.85	11.25	Not Statistically Significantly Different
WARREN	13.04	10.45	15.62	Not Statistically Significantly Different
WARWICK	16.88	8.52	25.25	Not Statistically Significantly Different
WASHINGTON	12.77	3.23	22.31	Not Statistically Significantly Different
WATERTOWN	8.55	7.31	9.79	Statistically Significantly Lower
WAYLAND	6.88	5.76	8.00	Statistically Significantly Lower
WEBSTER	9.03	7.68	10.38	Statistically Significantly Lower
WELLESLEY	9.4	8.48	10.32	Statistically Significantly Lower
WELLFLEET*	6.6	3.26	9.95	Statistically Significantly Lower
WENDELL	8.97	2.63	15.32	Not Statistically Significantly Different
WENHAM	7.52	5.38	9.66	Statistically Significantly Lower
WEST BOYLSTON	8.65	6.59	10.70	Statistically Significantly Lower
WEST BRIDGEWATER	8.23	6.30	10.16	Statistically Significantly Lower
WEST BROOKFIELD	43.07	34.77	51.36	Statistically Significantly Higher
WEST NEWBURY	8.68	6.47	10.89	Not Statistically Significantly Different
WEST SPRINGFIELD	9.71	8.64	10.78	Statistically Significantly Lower
WEST STOCKBRIDGE	7.21	2.40	12.02	Not Statistically Significantly Different
WEST TISBURY	5.54	2.81	8.26	Statistically Significantly Lower
WESTBOROUGH	11.43	10.14	12.72	Not Statistically Significantly Different
WESTFIELD	11.65	10.69	12.61	Not Statistically Significantly Different
WESTFORD	10.54	9.56	11.52	Not Statistically Significantly Different
WESTHAMPTON*	17.89	12.44	23.35	Statistically Significantly Higher
WESTMINSTER	9.33	7.43	11.23	Not Statistically Significantly Different
WESTON	12.16	10.64	13.68	Not Statistically Significantly Different
WESTPORT	11.08	9.53	12.63	Not Statistically Significantly Different
WESTWOOD	8.86	7.68	10.04	Statistically Significantly Lower
WEYMOUTH	11.35	10.50	12.19	Not Statistically Significantly Different
WHATELY*	6.34	2.33	10.35	Statistically Significantly Lower
WHITMAN	9.22	7.84	10.60	Statistically Significantly Lower
WILBRAHAM	9.49	8.16	10.82	Not Statistically Significantly Different
WILLIAMSBURG	20.33	14.48	26.18	Statistically Significantly Higher
WILLIAMSTOWN	5.5	3.59	7.42	Statistically Significantly Lower
WILMINGTON	9.72	8.66	10.78	Statistically Significantly Lower
WINCHENDON	9.73	8.13	11.33	Not Statistically Significantly Different
WINCHESTER	9.82	8.72	10.93	Not Statistically Significantly Different
WINDSOR	6.45	2.13	10.78	Statistically Significantly Lower
WINTHROP	10.81	9.25	12.36	Not Statistically Significantly Different
WOBURN	10.72	9.71	11.73	Not Statistically Significantly Different
WORCESTER	11.72	11.26	12.18	Statistically Significantly Higher
WORTHINGTON	9.09	3.43	14.75	Not Statistically Significantly Different
WRENTHAM*	6.63	5.41	7.86	Statistically Significantly Lower
YARMOUTH	9.7	8.37	11.03	Not Statistically Significantly Different

*Community participates in a regional school system

**CI-Lo indicates the lower 95% confidence interval

***CI-Up indicates the higher 95% confidence interval